



TARKETT GDL SA
Report No. TA 2504-1618

Cleanroom[®] Suitable Materials

ProtectWALL 1.5 Bs2
Particle Emission in Cleanroom
(vs. stainless steel): ISO 8

FLOORING & COATING

Single product
Particle Emission
in Cleanroom
(atmospheric)

Qualification Certificate

We hereby certify that the material stated above, provided by

TARKETT GDL SA
Lentzweiler, Luxembourg

has been awarded the Fraunhofer IPA CSM Certificate of Qualification with the report number TA 2504-1618.

The level of particulate contamination emitted during application of tribological stress on the material pairing specified lies within the permissible values of the corresponding Air Cleanliness Class in accordance with ISO 14644-1:

Material pairing and test procedure		Suitable for Air Cleanliness Class
ProtectWALL 1.5 Bs2 (Copper dots)	vs. stainless steel 1.3541/1.4034	ISO Class: 8
Ball-on-disc test normal force: 3N		

This document only applies to the named product in its original state and is valid for a period of 5 years from the date the first document was issued. The document can be verified under www.tested-device.com.

Detailed information and parameters of the test environment can be found in the Fraunhofer IPA test report.

TA 2504-1618
Report No. first document
--
Report No. current document

Stuttgart, May 21, 2025
Place, date of first document issued
--
Place, current date

on behalf of 
Dr.-Ing. Frank Bürger, head of business unit Testing and Certification